

3 HINGES

Soft-close clip-on hinges



Sevroll hinges – the right option for fixing doors

A silent closing mechanism is an option that increases the comfort of furniture use. The use of clip-on hinges together with a silent closing mechanism means that the door is defended against a loud slam. Sour buffering system also works during the final phase of opening – weakened tension during this phase prevents light door fronts from hitting. The standard hinge offer is complemented by a 4 screw universal mounting plate, this accommodates large and heavy door fronts. Hinges with premounting screws and hinges with smooth regulation allow easier and more accurate adjustment. Sevroll always focuses on the quality of workmanship and tested materials, this is why our hinges come with a guarantee of 80,000 open-close cycles. In practice, this ensures many years of reliable operation whilst remaining within full operational parameters.



CHARACTERISTICS

► Application	Installation of cabinet doors
► Door material	Wooden and MDF board over 18 mm
► Construction	High-quality steel alloy
► Front thickness	From 15 mm to 25 mm
► Number of test cycles	80 000
► Sales programme	Hinges are sold in both sets and as elements

USAGE

- Carcass furniture – installation of doors

Hinge 3D with eccentric adjustment – hole spacing 45 mm ø35 mm

FULL OVERLAY hinge 3D with eccentric adjustment – hole spacing 45 mm 0 35 mm,
clip on with soft close (2pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223112	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.
Comfortable 3-dimensional adjustment

HALF OVERLAY HINGE 3D with eccentric adjustment – hole spacing 45 mm 0 35 mm,
clip on with soft close (2pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223113	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.
Comfortable 3-dimensional adjustment

INSET hinge 3D with eccentric adjustment – hole spacing 45 mm 0 35 mm,
clip on with soft close (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223114	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.
Comfortable 3-dimensional adjustment

3 SOFT-CLOSE CLIP-ON HINGES

Hinges, hole spacing 45 mm ø35 mm

OVERLAY hinge, hole spacing 45 mm ø35 mm – soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223032	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.

HALF OVERLAY hinge, hole spacing 45 mm ø35 mm – soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223033	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.

INSET hinge, hole spacing 45 mm ø35 mm – soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223034	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.

Hinges without spring, hole spacing 45 mm ø35 mm

OVERLAY hinge, hole spacing 45mm dia 35mm - soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223132	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps

Hinges without mounting plate with ECCENTRIC ADJUSTMENT, hole spacing 45 mm ø35 mm

FULL OVERLAY hinge with eccentric adjustment, hole spacing 45 mm ø35 mm,
clip on with soft-close (1 pc.)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223115	SILVER	100	item

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.

HALF OVERLAY hinge with eccentric adjustment, hole spacing 45 mm ø35 mm,
clip on with soft-close (1 pc.)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223116	SILVER	100	item

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.

INSET hinge with eccentric adjustment hole spacing 45 mm ø35 mm, clip on with soft-close (1 pc.)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223117	SILVER	100	item

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps.

i With hinges you must also purchase mounting plates from page 49

3 SOFT-CLOSE CLIP-ON HINGES

Hinges without mounting plate, hole spacing 45 mm ø35 mm

OVERLAY hinge without mounting plate – hole spacing 45 mm ø35 mm – soft-close clip-on hinges (1 pc.)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
222969	SILVER	100	item

i Hinge without mounting plate sold individually.

HALF OVERLAY hinge without mounting plate –hole spacing 45 mm ø35 mm –soft-close clip-on hinges (1 pc.)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
222970	SILVER	100	item

i Hinge without mounting plate sold individually.

INSET hinge without mounting plate – hole spacing 45 mm ø35 mm – soft-close clip-on hinges (1 pc.)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
222971	SILVER	100	item

i Hinge without mounting plate sold individually.

i With hinges you must also purchase mounting plates from page 49.

Mounting plates, cover caps

Universal mounting plate with premounting screws



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
222974	SILVER	100	item

i Universal mounting plate sold individually

Universal mounting plate with 4 symmetrical holes



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223031	SILVER	100	item

i Universal mounting plate sold individually

Universal mounting plate with eccentric height adjustment



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223018	SILVER	400	item

i Universal mounting plate sold individually

Universal hinge cup cover cap



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
222972-SV	SILVER	1500	item

Universal hinge arm cover cap



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
222973-SV	SILVER	1500	item

3 SOFT-CLOSE CLIP-ON HINGES

ANGLED Hinge, hole spacing 45 mm ø35 mm

ANGLED Hinge 30°, hole spacing 45 ø35 mm soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223043	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps and screws. Additionally these hinges have eccentric depth regulation. Used for front thickness from 14 mm to 22 mm

ANGLED Hinge 45°, hole spacing 45 ø35 mm soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223044	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps and screws. Additionally these hinges have eccentric depth regulation. Used for front thickness from 14 mm to 22 mm

ANGLED Hinge 90°, hole spacing 45 ø35 mm soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223045	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps and screws. Additionally these hinges have eccentric depth regulation. Used for front thickness from 14 mm to 22 mm

ANGLED Hinge 135°, hole spacing 45 ø35 mm clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223046	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps and screws. Used for front thickness from 14 mm to 22 mm

ANGLED hinge 155° ZERO PROTRUSION, hole spacing 45 ø35 mm soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223094	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps and screws. Additionally these hinges have eccentric depth regulation. Used for front thickness from 16 mm to 24 mm

ANGLED Hinge, hole spacing 45 mm ø35 mm

FULL OVERLAY Hinge 165°, hole spacing 45 ø35 mm soft-close clip-on hinges (2 pcs)



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
223047	SILVER	50	set

i Set includes 2 hinges, 2 mounting plates, plus cup/arm cover caps and screws. Additionally these hinges have eccentric depth regulation. Used for front thickness from 14 mm to 26 mm

Stencil for hinges


Stencil for hinges-hole spacing 45 ø35 mm



CODE	COLOUR	COLLECTIVE PACKAGING	PRICED PER
40476	RED	100	item

HINGE QUANTIFIER

Determine the number of hinges required, depending on the height and weight of door fronts used



HINGE QUANTITY IS DEPENDENT ON:


- Door front width and height
- Door front weight
- Door front material

For example: You should use 3 hinges if the door front height is 1500 mm and the weight is between 8-12 kg.

3 SOFT-CLOSE CLIP-ON HINGES

- Hinges 3D WITH ECCENTRIC ADJUSTMENT, hole spacing 45 mm $\varnothing 35$ mm
- Soft-close clip-on hinges, hole spacing 45 mm $\varnothing 35$ mm
- Hinges without spring, hole spacing 45 mm $\varnothing 35$ mm





OVERLAY hinge




Mounting plate H=0

K	3	4	5	6	7
A	17	18	19	20	21

K – cup distance
A – overlay







HALF OVERLAY hinge




Mounting plate H=0

K	3	4	5	6	7
A	8	9	10	11	12

K – cup distance
A – overlay







INSET hinge



Mounting plate H=0

K	3	4	5	6	7
A	1,5	0,5	-0,5	-1,5	-2,5


K – cup distance
A – gap




Universal mounting plates

Universal mounting plate with eccentric height adjustment


Mounting plates work with hinges index no: 222969 / 222970 / 222971 / 223115 / 223116 / 223117

**Universal mounting plate with 4 symmetrical holes**

Mounting plates work with hinges index no: 222969 / 222970 / 222971 / 223115 / 223116 / 223117

**Universal mounting plate with premounting screws**

Mounting plates work with hinges index no: 222969 / 222970 / 222971 / 223115 / 223116 / 223117



3 SOFT-CLOSE CLIP-ON HINGES


ANGLED hinges, hole spacing 45 mm $\varnothing 35$ mm

ANGLED hinge 30°

Mounting plate H = 0

K	4	5	6	7
A	2,5	3,4	4,3	5,2
X	35	34	33	32

K – cup distance
A – overlay
X – guide distance




ANGLED hinge 45°

Mounting plate H = 0

K	4	5	6	7
A	4,5	5,4	6,3	7,2
X	37	36	35	34

K – cup distance
A – overlay
X – guide distance




ANGLED hinge 90°

Mounting plate H = 0

K	4	5
A	2,8	2,8
X	20	19


K – cup distance
A – overlay
X – guide distance



ANGLED hinges, hole spacing 45 mm $\varnothing 35$ mm

ANGLED hinge 135°

Mounting plate
H=0




ANGLED hinge 155°

Mounting plate H=0

K	3	4	5	6	7
A	17	18	19	20	21

K – cup distance
A – overlay




ANGLED hinge 165°

Mounting plate H=0

K	3	4	5	6	7
A	18	19	20	21	22


K – cup distance
A – overlay





3 SOFT-CLOSE CLIP-ON HINGES

Hinge regulation



Hinges: overlay, half overlay, inset




Adjustment: + 5 mm




Adjustment: ± 2 mm





Adjustment: + 5 mm





Angled hinges



Adjustment: + 6 mm



Adjustment: ± 2 mm



Adjustment: ± 2 mm

